


LIST OF QUALIFYING RESIDENTIAL HIGH EFFICIENCY TOILETS (HETs)

Rebate good on purchase made between March 1, 2007 through November 30, 2008 or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of May 29, 2008.

	KEY:	Flush performance (MaP score)	350 grams to 475 grams 500 grams and more	Type of toilet fixture	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) 4-L (1.1-gal) Pressure-assist Gravity-fed	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE FLUSH) Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (In.)	No flapper / Non-traditional Round Front (R) or Elongated (E)	ADA-Comfort Height-Right Height (H)	Stops (AL) Gravity-Flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist Single-Flush Max 1.28 G (4.8 L) Gravity	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
American Standard		Cadet 3 FloWise EL	2832-128; 3014-128 bowl, 4021-128 tank	1,000	WS	2	3		R						HET	F
American Standard		Cadet 3 FloWise EL ADA	2835-128; 3016-128 bowl, 4021-128 tank; NOTE: this combination is also sold as 3305-128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	WS	2	3		E	*					HET	F
American Standard		Cadet 3 FloWise RF	2829-128; 3011-128 bowl, 4021-128 tank	800	WS	2	3		R						HET	F
American Standard		FloWise Compact Cadet 3 EL	2403-216 (one-piece)	1,000	WS	1	3								HET	F
American Standard		FloWise Dual Flush EL	2479-216; 3067-216 bowl, 4035-216 tank	900	WS	2	2	*	E						HET	F
American Standard		FloWise Dual Flush EL (insulated tank)	2479-516; 3067-216 bowl, 4035-516 tank	800	WS	2	2	*	E	*					HET	F
American Standard		FloWise Dual Flush EL ADA	2480-216; 3073-216 bowl, 4035-216 tank; NOTE: this combination is also sold as 2566-216, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	WS	2			E	*	*				HET	F
American Standard		FloWise Dual Flush EL ADA (insulated tank)	2480-516; 3073-216 bowl, 4035-516 tank; NOTE: this combination is also sold as 2566-516, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	500	WS	2			E	*	*				HET	F
American Standard		FloWise EL	2073-013; 3018 bowl, 4023-013 tank (this model to be discontinued & replaced by 2073-014)	550	WS	2	3	*	E						HET	F
American Standard		FloWise EL	2073-014; 3018 bowl, 4023-014 tank	750	WS	2	3	*	E						HET	F
AYERS - SEE TANGSHAN																
Capizzi		Turbo Capizzi EL	0778 bowl, 1278 tank	475	WS	2	-		E						HET	F
Capizzi		Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500	WS	2	-		E						HET	F
Capizzi		Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400	WS	2	-		E						HET	F
Capizzi		Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500	WS	2	-		E	*					HET	F
Caroma		Adelaide 270 Cube EL	834000 bowl, 814790 tank	700	WS	2	-	*	E	*	*				HET	F
Caroma		Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	WS	2	-	*	R	*	*				HET	F
Caroma		Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	WS	2	-	*	R	*	*				HET	F
Caroma		Adelaide 270 Standard EL	834000 bowl, 814328 tank	700	WS	2	-	*	E	*	*				HET	F
Caroma		Bondi 270 CC RF	609159 bowl, 726350 tank	600	WS	2	-	*	R	*	*				HET	F
Caroma		Bondi 270 EL	609100 bowl, 726350 tank	550	WS	2	-	*	E	*	*				HET	F
Caroma		Bondi 270 EL ADA	609120 bowl, 726350 tank	900	WS	2	-	*	E	*	*				HET	F
Caroma		Bondi 270 RF ADA	601717 bowl, 726350 tank	550	WS	2	-	*	E	*	*				HET	F
Caroma		Bondi 305 CC RF	609151 bowl, 726350 tank	450	WS	2	-	*	R	*	*				HET	F
Caroma		Bondi 305 EL	609130 bowl, 726350 tank	350	WS	2	-	*	E	*	*				HET	F
Caroma		Brisbane 270 RF	833900 bowl, 810266 tank	700	WS	2	-	*	R	*	*				HET	F
Caroma		Caravelle 1-Piece EL ADA	989668	800	WS	1	-	*	E	*	*				HET	F
Caroma		Caravelle 270 EL	609100 bowl, 629435 tank	500	WS	2	-	*	E	*	*				HET	F
Caroma		Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	WS	2	-	*	E	*	*				HET	F
Caroma		Caravelle 270 RF	989760; 609159 bowl, 629435 tank	500	WS	2	-	*	R	*	*				HET	F
Caroma		Caravelle 270 RF ADA	989770; 609177 bowl, 629435 tank	800	WS	2	-	*	R	*	*				HET	F
Caroma		Caravelle 305 EL	609130 bowl, 629435 tank	500	WS	2	-	*	E	*	*				HET	F
Caroma		Caravelle 305 RF	989680; 609151 bowl, 629435 tank	650	WS	2	-	*	R	*	*				HET	F
Caroma		Caravelle One-Piece RF	989666	500	WS	1	-	*	R	*	*				HET	F
Caroma		Colonial 270 RF	605310 bowl, 625070 tank	600	WS	2	-	*	R	*	*				HET	F
Caroma		Colonial 270 RF	605320 bowl, 625070 tank	700	WS	2	-	*	R	*	*				HET	F
Caroma		Reflections 270 EL	609100 bowl, 629530 tank	500	WS	2	-	*	E	*	*				HET	F
Caroma		Reflections 270 RF	989720; 609159 bowl, 629530 tank	650	WS	2	-	*	R	*	*				HET	F
Caroma		Reflections 305 RF	609151 bowl, 629530 tank	600	WS	2	-	*	R	*	*				HET	F
Caroma		Royale 270 EL	609100 bowl, 624530 tank	800	WS	2	-	*	E	*	*				HET	F
Caroma		Royale 270 EL ADA	609120 bowl, 624530 tank	850	WS	2	-	*	E	*	*				HET	F
Caroma		Royale 270 RF	609150 bowl, 624530 tank	600	WS	2	-	*	R	*	*				HET	F
Caroma		Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	2	-	*	R	*	*				HET	F
Caroma		Royale 305 EL	609130 bowl, 629530 tank	850	WS	2	-	*	E	*	*				HET	F
Caroma		Royale 305 RF	609151 bowl, 624530 tank	600	WS	2	-	*	R	*	*				HET	F
Caroma		Sydney 270 EL	609100 bowl, 622320 tank	500	WS	2	-	*	E	*	*				HET	F
Caroma		Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	WS	2	-	*	E	*	*				HET	F
Caroma		Sydney 270 RF	609159 bowl, 622320 tank	600	WS	2	-	*	E	*	*				HET	F

LIST OF QUALIFYING RESIDENTIAL HIGH EFFICIENCY TOILETS (HETS)

Rebate good on purchase made between March 1, 2007 through November 30, 2008 or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of May 29, 2008.

		KEY: Flush performance (MaP score) 350 grams to 475 grams 500 grams and more		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (In.) No flapper / Non-traditional Round Front (R) or Elongated (E)	ADA-Comfort Height-Right Height 300 (AL) Gravity-Flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (4-L)	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist Single-Flush Max 1.28 G (4.8 L) Gravity	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
Type of toilet fixture 6-in. (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) 4-L (1.1-gal) Pressure-assist Gravity-fed		Model Name	Model Number										
Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	2	-	R	*		HET		F	
Caroma	Sydney 305 EL	609120 bowl, 622320 tank	500	WS	2	-	R	*		HET		F	
Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	WS	2	-	R	*		HET		F	
Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	WS	2	-	R	*		HET		F	
Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	WS	2	-	R	*		HET		F	
Caroma	Sydney Smart 305 RF (NOTE: 1.2-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	WS	2	-	R	1		HET		F	
Caroma	Tasman 270 RF	989860: 609169 bowl, 800032 tank	550		2	-	R	*		HET		F	
Caroma	Walvli EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500		2	-	E	*		HET		R W	
Cascadian	EL	C930 bowl, T901 tank	350	WS	2							HET	
COLCERAMI CA - SEE MANSFIELD/COLCERAMICA													
Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	2	-	E	*		HET		F	
Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	2	-	R	*		HET		F	
Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	2	-	R	*		HET		F	
Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3	R	*				F	
Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	350	WS	2	3	R	*			HET	F	
Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31964 tank	350	WS	2		R					F	
Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	2	-	E	*		HET		F	
Crane	Eco Saratoga EL	31980: 3372 bowl, 31964 tank	350	WS	2	-	E	*		HET		F	
Crane	Eco Saratoga EL	31986: 3372 bowl, 31964 tank (insulated)	350	WS	2	-	E	*		HET		F	
Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	2	-	R	*		HET		F	
Crane	Eco Saratoga RF	31976: 3352 bowl, 31964 tank (insulated)	350	WS	2	-	R	*		HET		F	
Crane	EcoMiser Bigfoot EL	38345: 31128 bowl, 31500 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser Dual EL	38370: 3827 bowl, 31500 tank	350	WS	2	-	E	*		HET		R F	
Crane	EcoMiser Dual EL ADA	38400: 3830 bowl, 31500 tank	350	WS	2	-	E	*		HET		R F	
Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	WS	2	-	R	*		HET		F	
Crane	EcoMiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	WS	2	-	R	*		HET		F	
Crane	EcoMiser One EL	31945: 3825 bowl, 31612 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000	WS	2	-	E	*		HET		F	
Crane	EcoMiser One RF	31944: 3824 bowl, 31612 tank	1,000	WS	2	-	R	*		HET		F	
Duravit	2nd Floor (ADA optional)	220509 bowl, 111 335 in-wall tank (Geberit)	350		2	2	S	*	*	HET		R W	
Duravit	Caro (ADA optional)	015629 bowl, 111 335 in-wall tank (Geberit)	350		2	2	S	*	*	HET		R W	
Duravit	Foster (ADA optional)	017509 bowl, 111 335 in-wall tank (Geberit)	350		2	2	S	*	*	HET		R W	
Duravit	Vero (ADA optional)	221709 bowl, 111 335 in-wall tank (Geberit)	350		2	2	S	*	*	HET		R W	
Eljer	Power 1-G EL	091-7625: 131-7625 bowl, 141-7600 tank	800		2	-	E	*		HET		F	
Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl, 141-7600 tank	800		2	-	E	*		HET		F	
FOREMOST - SEE PROFILES													
Foremost	AIO RF ADA	AIO1000-RW: AIOB1000-RW bowl, AIO17000-W tank	1,000	WS	2	-	R	*	*	HET		F	
Foremost	AIO EL ADA	AIO1000-EW: AIOB1000-EW bowl, AIO17000-W tank	1,000	WS	2	-	E	*	*	HET		F	
Foremost	None - RF	TT-2010-WL: LL-2010 bowl, T-2010 tank (lined)	600	WS	2	3	R	*		HET		F	
Foremost	None EL	TL-7600HC-HET-Y: LL-7600HC-HET-Y bowl, T-7600HC-HET-Y tank	350	WS	2	3	E	*				HET	F
Foremost	None EL	TL-7600HC-HET-YL: LL-7600HC-HET-Y bowl, T-7600HC-HET-YL tank (insulated)	350	WS	2	3	E	*				HET	F
Foremost	None EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank (ALSO SOLD BY HOME DEPOT AS GLACIER BAY SKU 331-725)	400	WS	2	3	E	*				HET	F

LIST OF QUALIFYING RESIDENTIAL HIGH EFFICIENCY TOILETS (HETS)

Rebate good on purchases made between March 1, 2007 through November 30, 2008 or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of May 29, 2008.


	KEY:	Flush performance (MaP score)	350 grams to 475 grams 500 grams and more	Type of toilet fixture	6-1 (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) 4-L (1.1-gal) Pressure-assist Gravity-fed	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE FLUSH) Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (In.)	No flapper / Non-traditional Round Front (RF) or Elongated (E) bowl	ADA-Comfort Height-Right Height Seat (AL) Gravity-Flush on a dual-flush system Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist Single-Flush Max 1.28 G (4.8 L) Gravity	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Foremost	None RF					350	WS	2	3	R			HET	F
Foremost	None RF					350	WS	2	3	R			HET	F
Foremost	Plaza					500	WS	2	3	S	*		HET	F
Gerber	Ultra Dual Flush EL					350	WS	2	-	E	*		HET	R
Gerber	Ultra Dual Flush EL					1,000	WS	2	-	E	*		HET	F
Gerber	Ultra Dual Flush EL					1,000	WS	2	-	E	*		HET	F
Gerber	Ultra Dual Flush EL ADA					1,000	WS	2	-	E	*		HET	F
Gerber	Ultra Dual Flush EL ADA					1,000	WS	2	-	E	*		HET	F
Gerber	Ultra Dual Flush EL ADA (rear discharge)					1,000	WS	2	-	E	*		HET	R
Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)					1,000	WS	2	-	E	*		HET	F
Gerber	Ultra Dual Flush RF					1,000	WS	2	-	R	*		HET	F
Gerber	Ultra Dual Flush RF					1,000	WS	2	-	R	*		HET	F
Gerber	Ultra Flush EL					350	WS	2	-	E	*		HET	R
Gerber	Ultra Flush EL ADA					800	WS	2	-	E	*		HET	F
Gerber	Ultra Flush EL ADA					800	WS	2	-	E	*		HET	F
Gerber	Ultra Flush EL ADA					800	WS	2	-	E	*		HET	F
Gerber	Ultra Flush EL ADA					800	WS	2	-	E	*		HET	F
Gerber	Ultra Flush EL ADA (rear discharge)					800	WS	2	-	E	*		HET	R
Gerber	Ultra Flush EL ADA (w/bedpan lugs)					800	WS	2	-	E	*		HET	F
Gerber	Ultra Flush RF					1,000	WS	2	-	R	*		HET	F
Gerber	Ultra Flush RF					1,000	WS	2	-	R	*		HET	F
Globe Union	WaterRidge Grace EL					500	WS	1	2	E	*		HET	F
Home Depot - Glacier Bay (by Foremost)	None EL ADA					400	WS	2	-	E	*		HET	F
Home Depot - Glacier Bay (by Niagara)	Ecologic RF ADA					1,000	WS	2	-	R	*		HET	F
Home Depot - Pegasus	Tulip EL (See Vortless-Lamosa)					400	WS	2	-	E	*		HET	F
Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless)					500	WS	2	-	E	*		HET	F
Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)					800	WS	2	-	E	*		HET	F
Kohler	Berrington Pressure Lite EL					800	WS	2	-	E	*		HET	R
Kohler	Cimarron Eco-Smart EL ADA					800	WS	2	3	E	*		HET	F
Kohler	Cimarron EL ADA					350	WS	2	-	E	*		HET	F
Kohler	Escape EL					500	WS	2	-	E	*		HET	F
Kohler	Fountainhead Power Lite EL ADA					350	WS	1	-	E	*		HET	F
Kohler	Kelston EL ADA					1,000	WS	2	-	E	*		HET	F
Kohler	Kelston EL ADA					1,000	WS	2	-	E	*		HET	F
Kohler	Persuade EL					350	WS	2	-	E	*		HET	F
Kohler	Salle EL					350	WS	1	-	E	*		HET	F
Kohler	San Raphael Power Lite EL					850	WS	1	-	E	*		HET	F
Kohler	San Raphael Power Lite EL ADA					1,000	WS	1	-	E	*		HET	F
Kohler	San Raphael Pressure Lite EL ADA					600	WS	1	-	E	*		HET	F
Kohler	Sterling Karsten Dual Force EL					400	WS	2	2	E	*		HET	F
Kohler	Sterling Karsten RF					800	WS	2	2	E	*		HET	F
Kohler	Sterling Rockton EL					350	WS	2	-	R	*		HET	F
Kohler	Sterling Rockton RF					350	WS	2	-	R	*		HET	F
Kohler	Sterling Slanton EL					350	WS	2	-	E	*		HET	F
Kohler	Wellworth Pressure Lite EL					1,000	WS	2	-	E	*		HET	F
Kohler						350	WS	2	-	E	*		HET	F
Kohler	Highline Pressure Lite EL ADA					1,000	WS	2	-	E	*		HET	F
Mancoesa	Cyclone 4 EL					650	WS	2	-	E	*		HET	F

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected ULFT appear on this list.




LIST OF QUALIFYING RESIDENTIAL HIGH EFFICIENCY TOILETS (HETS)

Rebate good on purchases made between March 1, 2007 through November 30, 2008 or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of May 29, 2008.

	Model Name	Model Number	Map Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (In.)	No flapper / Non-traditional Round Front (RF) or Elongated (E) bowl	ADA-Comfort Height-Right Height Seat (AL) Gravity-Flush on a Dual-Flush System	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
 <p>IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected URF appear on this list.</p>	KEY:													
	Flush performance (MaP score)		350 grams to 475 grams											
			500 grams and more											
	Type of toilet fixture		6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)											
			4-L (1.1-gal) Pressure-assist											
			Gravity-fed											
Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	WS	2	-	F		*	HET				
Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	WS	2	-	F		*	HET				
Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	WS	2	-	F	*	*	HET				
Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	WS	2	-	R		*	HET				
Mansfield	None - EL	144 bowl, 119 tank	1,000	WS	2	-	F	*	*	HET				
Mansfield	None - EL	144 bowl, 153 tank	900	WS	2	-	F	*	*		HET		R W	
Mansfield	Prestigio 4 EL	704 (one-piece)	950	WS	1	-	F	*	*		HET		R W	
Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	WS	2	-	F	*	*		HET		F	
Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	WS	2	-	F	*	*		HET		F	
Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	WS	2	-	F	*	*		HET		R F	
Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	WS	2	-	F	*	*		HET		F	
Niagara	Ecologic EL ADA HET (Flapperless)	N2225E, N2225B bowl, N2225T tank. Also sold as Home Depot SKU 331-728	800	WS	2	-	* E	*			HET		F	
Niagara	Ecologic RF HET (Flapperless)	N2225R, N2225RB bowl, N2225T tank (note that tank and bowl model nos. are identical to those of the older Flapperless RF HET)	500	WS	2	-	* R						F	
Niagara	Flapperless HET EL	N2229E, N2229B bowl, N2229T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	350	WS	2	-	* E						F	
Niagara	Flapperless HET RF	N2225RB bowl, N2225T tank (model replaced by the Ecologic RF HET flapperless)	250		2	-	* R						F	
Niagara	Glacier Bay Ecologic RF ADA	N2225R-165, N2225RB-165 bowl, N22225T tank	1,000	WS	2	-	* R						F	
Niagara	None EL	N2310, 2310B bowl, 2310T tank	1,000	WS	2	-	* E						F	
Niagara	None EL	N4418 (one piece)	500		1	-	* E						F	
Niagara	None EL ADA	N4417, N4417 bowl, N4415T tank	350		2	-	* E	*					F	
Orion	Green Sense EL	S0320 bowl, S1299 tank	350	WS	2	-	R						HET F	
Orion	Green Sense RF	S0299 bowl, S1299 tank	350	WS	2	-	R						HET F	
Peerless Pottery (By Capizot)	Protostar EL ADA	60B bowl, 1 tank	500		2	-	E	*					HET F	
Peerless Pottery (By Capizot)	Protostar Low Profile EL	606 bowl, 1 tank	400		2	-	E						F	
ProFlo (By Tynan for Home Depot)	Cascade EL	PF9301 bowl, PF9312 tank	400	WS	2	2	E	*					F	
ProFlo (By Tynan for Home Depot)	Cascade EL	PF9303 bowl, PF9312 tank	450	WS	2	2	E	*	*	HET			F	
ProFlo (By Tynan for Home Depot)	Cascade RF	PF9300 bowl, PF9312 tank	500	WS	2	2	R	*	*	HET			F	
ProFlo (By Tynan for Home Depot)	Maclair EL	PF9401 bowl, PF9412 tank	850	WS	2	3	E						HET F	
ProFlo (By Tynan for Home Depot)	Maclair RF	PF9400 bowl, PF9412 tank	900	WS	2	3	R						HET F	
QualiCraft	Alexis HET Dual Flush Toilet In Box EL ADA	30014K, 3001 bowl, 3004 tank (insulated)	900	WS	2	3	E	*	*	HET			F	
QualiCraft	Alexis HET Toilet in a Box - EL ADA	30013K, 3001 bowl, 3003 tank (insulated)	900	WS	2	3	E	*	*		HET		F	
QualiCraft	None - EL ADA	3001/3003 (insulated tank)	900		2	3	E	*	*		HET		F	
QualiCraft	None - EL ADA	3001/3004 (insulated tank)	900		2	3	E	*	*		HET		F	
STERLING - SEL														
WALLEN														
Wangshan Ayers Bath	Dofiny - EL ADA	UAC1301B5-AA bowl, UAT1302-AA tank	550	WS	2	3	E	*	*		HET		F	
Toto	Aquia EL	CST414M, CT414 bowl, ST413M tank	800	WS	2	2	E	*	*	HET			F	
Toto	Aquia II EL	CST416M, CT416 bowl, ST416M tank	500	WS	2	3	E						F	
Toto	Aquia III EL	CST464M, CT464 bowl, ST464M tank	500	WS	2	3	E						F	
Toto	Aquia IIIUH EL ADA	CST464MF, CT464F bowl, ST464M tank	500	WS	2	3	E	*	*	HET			F	
Toto	EcoClayton	CST784E, CT784E bowl, ST784E tank	500	WS	2	3	E	*	*		HET		F	
Toto	EcoDartmouth EL HET	CST754EF, CT754EF bowl, ST753E tank	700	WS	2	3	E	*	*		HET		F	
Toto	EcoDrake EL	CST744E, CT744E bowl, ST743E tank	600	WS	2	3	E	*	*		HET		F	
Toto	EcoDrake EL ADA	CST744EL, CT744EL bowl, ST743E tank	900	WS	2	3	E	*	*		HET		F	
Toto	EcoDrake RF	CST743E, CT743E bowl, ST743E tank	500	WS	2	3	R		*		HET		F	
Toto	EcoNexus EL ADA	CST794EF, CT794EF bowl, ST794E tank	500	WS	2	3	E	*	*		HET		F	
Toto	EcoPromenade EL ADA	CST424EF, C424EF bowl, ST423E tank	400	WS	2	3	E	*	*		HET		F	
Toto	EcoSupreme EL	CST884E OR MS864114E OR MW864***E	500	WS	1	3	E	*	*		HET		F	
Toto	EcoSupreme RF	CST883E OR MS863113E OR MW863***E	350	WS	1	3	E	*	*		HET		F	
Toto	EcoUltramax EL	CST854E OR MS854114E OR MW854***E	500	WS	1	3	E	*	*		HET		F	
Toto	EcoUltramax EL ADA	CST854EL OR MS854114EL OR MW854***EL	500	WS	1	3	E	*	*		HET		F	
Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	WS	1	3	R		*		HET		F	

LIST OF QUALIFYING RESIDENTIAL HIGH EFFICIENCY TOILETS (HETs)

Rebate good on purchases made between March 1, 2007 thru November 30, 2008 or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of May 29, 2008.

		KEY: Flush performance (MaP score) 350 grams to 475 grams 500 grams and more		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1 - piece or 2 - piece model	Flush Valve-Flapper size (In.) No flapper / Non-traditional	Round Front (RF) or Elongated (E) bowl	ADA-Comfort Height-Right Height Seat (AL) Gravity-Flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist Single-Flush Max 1.28 G (4.8 L) Gravity	Rear Discharge Floor-Mounted (F) OR Wall-Mounted (W)
Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) 4-L (1.1-gal) Pressure-assist Gravity-fed		Model Name	Model Number									
Toto	EcoWhimley EL ADA	CS1754EFN: C754EF bowl, ST754E tank	700	WS	2	3	F	*			HET	F
Toto	Gwyneth EL ADA	CS1454CEF: C454CE bowl, ST454E tank	800	WS	2	3	F	*			HET	F
Toto	Gwyneth EL ADA	CS1604CEF (one-piece)	500	WS	1	3	F	*			HET	F
Fynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	2	2	F	*		HET		F
Fynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	2	2	F	*		HET		F
Fynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	2	2	R	*		HET		F
Fynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3	F	*			HET	F
Fynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3	R	*			HET	F
Vitra	Evergreen (formerly Arkitect) EL ADA	5065 bowl, 5066 tank	500	WS	2	-	E	*		HET		F
Vitra	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	WS	2	2	E	*	*	HET		F
Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	WS	2	-	R	*	*	HET		F
Vitra	EverGreen EL ADA	5195 bowl, 5402 tank	600	WS	2	2	E	*			HET	F
Vitra	EverGreen RF ADA	5196 bowl, 5402 tank	800	WS	2	2	R	*			HET	F
Vortens-Lamosa	Dall EL	5101 bowl, 5201 tank	350	WS	2	-	E	*		HET		F
Vortens-Lamosa	Delfon	3130	350	WS	1	-	E	*		HET		F
Vortens-Lamosa	Hurricane EL ADA	3473: 3140 bowl, 3473 tank	350	WS	2	3	E	*		HET		F
Vortens-Lamosa	Pegasus Tulp EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400	WS	2	-	E	*	*	HET		F
Vortens-Lamosa	Rhodes EL ADA (HET)	3123 bowl, 3436 tank	1,000	WS	2	-	E	*	*	HET		F
Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	WS	2	-	E	*		HET		F
Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	WS	2	-	E	*		HET		F
Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	WS	2	2	R	*		HET		F
Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375	WS	2	-	R	*		HET		F
WATERIDGE - SEE GLOBE/UNION AND COSTCO												
Western Pottery	Environmental Dual Flush EL	8812 DF bowl, TB-LUF-DF tank	550		2	2	E	*		HET		F
Western Pottery	Wrangler One EL	8432PF-1: 432 PF bowl, ULF-T4 tank	1,000		2	-	E				HET	F
Zum	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	WS	2	-	E	*	*	HET		F
Zum	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	WS	2	-	E	*	*	HET		F
Zum	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	WS	2	-	E	*		HET		F
Zum	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	WS	2	-	E	*		HET		F
Zum	EcoVantage Dual Flush RF	Z5577: Z5575 bowl, Z5562 tank	350	WS	2	-	R			HET		F
Zum	EcoVantage RF	Z5576: Z5575 bowl, Z5561 tank	350	WS	2	-	R			HET		F

RF – Round-front toilet bowl
 EL – Elongated-front toilet bowl

S – Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense